

केन्द्रीय माध्यमिक शिक्षा बोर्ड  
Central Board of Secondary Education  
संबंधता - Online School Affiliation & Monitoring System R-2.0



Affiliation-Bye-Laws ▼ Circulars Useful Links ▼ I.C. Login ▼ Feedback FAQ Contact Us

Total No. of Schools affiliated with CBSE : 25726


CBSE School Directory

Keyword wise  Affi. No. wise  State wise  Region wise  School level wise  Disaffiliated schools

Enter Affiliation No. : 3500029

SEARCH

SNo	AffNo, School & Head Name	Address, Phone & Email
1	<b>Affiliation No.</b> 3500029 <b>Name:</b> KENDRIYA VIDYALAYA <b>Head/Principal Name:</b> SAFALTA RANI VISHNOI <b>Status of the School:</b> Senior Secondary <b>Affiliated up to:</b> 31/03/2022	<b>Address:</b> I I P MOHAKAMPUR DEHRADUN UTTARANCHAL ,248005 <b>Phone No:</b> 0135 ,2660064 <b>Email:</b> SAFALTA.VISHNOI@GMAIL.COM <b>Website:</b> http://www.kv2vasco.com

C.T.C  
  
 प्राचार्य / PRINCIPAL  
 केन्द्रीय विद्यालय / KENDRIYA VIDYALAYA  
 मा.पे.सं., देहरादून / I.I.P., DEHRADUN  
 उत्तराखण्ड / UTTARAKHAND - 248005

CERTIFICATE OF REGISTRATION UNDER SOCIETIES REGISTRATION ACT XXI OF 1860 (PUNJAB AMENDMENT) ACT 1957 AS EXTENDED TO THE UNION TERRITORY OF DELHI.

No. S.2884 of 1965 -1966 .

I hereby certify that \*CENTRAL SCHOOLS ORGANIZATION\*


has this day been registered under the Societies Registration Act XXI of 1860 (Punjab Amendment) Act 1957, as extended to the Union Territory of Delhi.

Given under my hand at DELHI

this 15th day of DECEMBER

One thousand nine hundred and SIXTY FIVE.

Fee Rs. 50.00 paid.



(SURENDER KISHORE) REGISTRAR OF SOCIETIES DELHI. 15

\*DHINGRA\*

No. S/2884/1670

Dated 15-12-1965

From The Registrar of Societies, Old Secretariat, Delhi.

To Shri S.N. Dutt, Under Secy., Central School Unions, Room No. 36, M-Block, Ministry of Education, N. Delhi.

Regi. \* CENTRAL SCHOOLS ORGANIZATION \*

Dear Sir,

I am enclosing herewith the certificate of registration of your society named above. Please acknowledge receipt.

Acknowledged.

15/12

Yours faithfully,

(Handwritten signature)


(SURENDER KISHORE) REGISTRAR OF SOCIETIES DELHI.

Encl: One Certificate

केन्द्रीय विद्यालय / KENDRIYA VIDYALAYA, ना.पे.स., देहरादून / L.P., DEHRADUN, उत्तराखण्ड / UTTARAKHAND - 248005

\*DHINGRA\*

कार्यालय अधिशासी अभियंता,  
यू०पी०स्टेट कांस्ट्रक्शन एण्ड इन्फ्रास्ट्रक्चर डेवलेपमेन्ट कारपोरेशन लि०,  
(पूर्वनाम-उ०प्र०समाज कल्याण निर्माण निगम लि०,  
(उ०प्र०शासन का प्रतिष्ठान)



(CIN NO.U81320UP1976SGC004297)

अत्री निवास, लोअर नत्थनपुर, पो०आ०, नेहरूग्राम, देहरादून-248001  
मो०नं०-9454455876, e.mail ID -dehradunoffc\_upsknn@rediffmail.com

पंजीकृत कार्यालय: टी०सी०/46-V, विभूति खण्ड गोमतीनगर, लखनऊ।

43 /EE/K.V.IIP/Dehradun/2021-22


Date. 09.07.2021

19/7/2021

### SAFTY CERTIFICATE

It is here by certified that the is inspection of School building of K.V.IIP.Dehradun was carriedout by the undersigned and all mentioned building have been found structurally safe.

  
Executive Engineer  
U.P. State Construction & Infrastructure  
Development Corporation Ltd.  
Dehradun.

  
प्राचार्य / PRINCIPAL  
केन्द्रीय विद्यालय / KENDRIYA VIDYALAYA  
भा.पे.सं. देहरादून / I.P., DEHRADUN  
उत्तराखण्ड / UTTARAKHAND - 088005

## Fire Safety Certificate

कार्यालय  
पत्रांक न-20/असुव्य (455)/21-22

अग्नि

शमन

अधिकारी

देहरादून।

दिनांक: अप्रैल 26, 2021

सेवा में,


प्रधानाचार्य/प्रबन्धक  
केन्द्रीय विद्यालय (Kendriya Vidyalaya)  
आई0आई0पी0 मोहकमपुर  
जनपद-देहरादून।


सन्दर्भ:-

अग्निशमन एवं आपात सेवा उत्तराखण्ड की वेबसाईट पर उपलब्ध कराये गये यूनिक नम्बर 85804651 दिनांक 13.04.2021 के सम्बन्ध में।

आपके विद्यालय का निरीक्षण अग्नि सुरक्षा व्यवस्था के दृष्टिकोण से प्रभारी/अग्निशमन अधिकारी देहरादून द्वारा किया गया। निरीक्षण आख्या दिनांक 20-04-2021 में आपके विद्यालय में स्थापित प्राथमिक अग्नि सुरक्षा व्यवस्था को सन्तोषजनक इंगित करते हुये अग्नि सुरक्षा व्यवस्था सम्बन्धी कार्यशीलता प्रमाण-पत्र प्रदान करने की संस्तुति की है।

अतः प्रभारी/अग्निशमन अधिकारी देहरादून की निरीक्षण आख्या दिनांक 20-04-2021 के आधार पर आपके विद्यालय हेतु दिनांक 26-04-2021 से 25-04-2022 तक के लिये प्राथमिक अग्नि उपकरणों सम्बन्धी कार्यशीलता प्रमाण-पत्र प्रदान किया जाता है। साथ ही उक्त व्यवस्था के कार्यशील होने का प्रमाण-पत्र प्रति वर्ष लिया जाना अनिवार्य होगा। निर्देशित किया जाता है कि भवन के विस्तार/अतिरिक्त निर्माण करने पर तदनुसार अलग से अग्निशमन सुरक्षा व्यवस्था करनी होगी। अग्निशमन अधिकारी द्वारा दिये गये निर्देशों का पालन करेंगे एवं अग्नि सुरक्षा व्यवस्थाओं को सदैव उच्च स्तर पर रखेंगे। यह प्रमाण पत्र अवैध निर्माण को वैध करने के लिए मान्य नहीं होगा। अग्निशमन व्यवस्था के सुदृढ़ न पाये जाने अथवा अकार्यशील दशा में पाये जाने पर यह प्रमाण पत्र स्वतः ही निरस्त समझा जायेगा।

  
(आर० एस० खत्री)  
मुख्य अग्निशमन अधिकारी  
देहरादून।

  
प्रचार्य / PRINCIPAL  
केन्द्रीय विद्यालय / KENDRIYA VIDYALAYA  
भा.पे.सं., देहरादून / L.P., DEHRADUN  
उत्तराखण्ड / UTTARAKHAND - 248005



Test Report ID: 909/UJS/SLWQTM/2021-22

URL No.: TC537218000000607P

Dated: 20/07/2021

**WATER QUALITY TEST REPORT**

Name and Address of Organization/ Customer	Kendriya Vidyalaya, IIP Dehradun.		
Product Description (Surface Water/ Ground Water/ Drinking Water)	Drinking Water	Sample Description	One Water Sample collected from Kendriya Vidyalaya, IIP
Reference Sample Identification:	SLWQTM/UJS/KV-01		Date of Start of Analysis: 15/07/2021
			Date of End of Analysis: 19/07/2021
Date and Time of Sample Received: 15/07/21 & 3:45 PM	Sample Collected by:	Customer	

SN	Water Quality Parameters Under Chemical Scope	Results	Desirable Limit (BIS)	Permissible Limit (BIS) in the Absence of alternative source	Std. Test Method
1	pH at 25°C	6.86	6.5 to 8.5	No Relaxation	IS 3025 Pt-11-2002
2	Total Dissolved Solids (TDS), mg/L, Max	248	500	2000	IS 3025 Pt-16-2006
3	Turbidity, NTU, Max	Less than 01	1	5	IS 3025 Pt-10-2006
4	Total Alkalinity (as CaCO <sub>3</sub> ), mg/L, Max	118	200	600	IS 3025 (Part 23): 2003
5	Total Hardness (as CaCO <sub>3</sub> ), mg/L, Max	208	200	600	IS 3025 (Part 21): 2002
6	Fluoride, mg/L, Max	0.32	1.0	1.5	APHA 23rd Ed.-4500-F -D
7	Nitrate, mg/L, Max	3.8	45	No Relaxation	APHA 23rd Ed.-4500-NO <sub>3</sub> -B
8	Sulfate, mg/L, Max	69	200	400	APHA 23rd Ed.-4500-SO <sub>4</sub> -F
9	Chloride, mg/L, Max	12.5	250	1000	APHA 23rd Ed.-4500-Cl B
10	Colour, Hazen, Max	Less than 01	5	15	APHA 23rd Ed.-2160-C
11	Taste	Agreeable	Agreeable	Agreeable	APHA 23rd Ed.-2160-B
12	Odour	Agreeable	Agreeable	Agreeable	IS 3025 Pt-05-2002
<b>Bacteriological Parameters</b>					
13	Total Coliform, MPN/ 100ml	Absent	Absent	Absent	APHA 23rd Ed.-9223-B
14	E. coli, MPN/ 100ml	Absent	Absent	Absent	APHA 23rd Ed.-9223-B

Remark: Above received water sample conforms to IS: 10500-2012 for drinking purpose with respect to above tests.

Dr. Vikash Kandari  
Authorised Signatory  
SLWQTM, Lab  
Uttarakhand Jal Sansthan  
Dehradun

प्राचार्य / PRINCIPAL  
केन्द्रीय विद्यालय / KENDRIYA VIDYALAYA  
म.पे.सं., देहरादून / U.P., DEHRADUN  
सं.सं.सं. / End of Report

(Er. Mohan Sharma)  
Executive Engineer (North)  
& Lab In-charge

1. The results listed refer only to tested sample and applicable parameters.  
2. This certificate is not to be reproduced wholly or in parts promotional publicity or legal purpose without permission of authority of testing laboratory.  
3. The samples will be destroyed after fifteen days from the date of issue of test certificate, unless otherwise agreed with customer.



केन्द्रीय विद्यालय संगठन/ Kendriya Vidyalaya Sangathan  
18, संस्थानिक क्षेत्र/ 18, Institutional Area  
शहीद जीत सिंह मार्ग/ Shaheed Jeet Singh Marg  
नई दिल्ली-16/ New Delhi - 16  
Phone No. 011-26523070

F.110240/04/2013/KVS (Budget)

Dated: 19.03.2013

✓ The Deputy Commissioner,  
Kendriya Vidyalaya Sangathan  
All Regional Offices.



Subject: Revision of Computer Fund and VVN Contribution w.e.f. 1.4.2013

Madam/Sir,

I am to invite your attention to the subject cited above and to state that a proposal for enhancement of Vidyalaya Vikas Nidhi and Computer Fund was placed before the 94<sup>th</sup> meeting of BOG of KVS held on 28<sup>th</sup> December 2012. Further as per the directions of Board the matter was placed before the Hon'ble HRM & Chairman of KVS for his kind approval. The Hon'ble HRM & Chairman of KVS has approved the proposed enhancement of fees viz Computer fund and VVN contribution as per the details given below:

Class	Existing fees per month (in Rupees)			Revised fees per month (in Rupees)		
	Tuition Fees	Computer Fund (Class - III & above)	VVN Contribution	Tuition Fees	Computer Fund(Class - III & above)	VVN Contribution
I-VIII	Nil	50	240	Nil	100	500
IX-X	200 (Boys)	50	240	200 (Boys)	100	500
XI-XII Commerce & Humanities	300 (Boys)	50/100	240	300 (Boys)	100/150*	500
XI-XII Science	400 (Boys)	50/100	300	400 (Boys)	100/150*	500

\*For students opting Computer Science/IP as an elective


प्राचार्य / PRINCIPAL  
केन्द्रीय विद्यालय / KENDRIYA VIDYALAYA  
भा.पे.सं., देहरादून / I.P., DEHRADUN  
उत्तराखण्ड / UTTARAKHAND - 248005

2.) With the issue of this letter, the provisions of Articles 59, 66 and 67A of the Accounts Code stand amended. The revised fee structure & amendment to Articles 59, 66 and 67A of the Accounts Code be circulated among all the Vidyalayas of your Region for timely implementation. The details of various exempted categories from the payment of fees is enclosed in the form of Annexure - A. It has also been decided that such exemptions will not be available to children of Govt. employees to whom the facility of reimbursement of such expenses from their departments is available.

3) The revised fees structure mentioned above take effect from 01.04.2013.


Receipt of this letter and action taken for its circulation may be intimated to this office within a fortnight.

Yours faithfully,

  
(M. Arumugam)  
Joint Commissioner (Fin.)

Copy to:-

1. PS to Commissioner, KVS (HQ).
2. PS to Addl. Commissioner, (Admn) & (Acad.) KVS (HQ).
3. All Divisional Heads of KVS (HQ).
4. All Branch Officers of KVS (HQ) & Sections.
5. The Director, All ZIETs.
6. The AC (EDP) with the request to upload the letter in KVS website.
7. Principal, Kendriya Vidyalaya Kathmandu/ Tehran/ Moscow.
8. The General Secretary All recognized Associations.
9. Information Cell KVS (HQ).
10. Guard File.

  
Joint Commissioner (Fin.)



केन्द्रीय विद्यालय संगठन क्षेत्रीय कार्यालय, देहरादून संभाग  
KENDRIYA VIDYALAYA SANGATHAN, REGIONAL OFFICE, DEHRADUN REGION

( शिक्षा मंत्रालय भारत सरकार के अधीन स्वायत्त निकाय )

An Autonomous Body under Ministry of Education, Govt. of India

सालावाला, हाथीबड़कला, देहरादून (उत्तराखण्ड)

वेबसाइट-<https://rodehradun.kvs.gov.in> / ई-मेल [aokvsroddr@gmail.com](mailto:aokvsroddr@gmail.com)

दूरभाष : 0135-2749510 (DC)/2743192 (AC)/2746371 (AO)/QSDI-2749824

एफ.100-1(वी.एम.सी.)/2021-के0वि0सं0/डी.डी.आर./प्रशा0/14-10/

दिनांक : 24.02.2021

प्राचार्य / प्राचार्या  
केन्द्रीय विद्यालय,  
भा.पै.सं. मोहकमपुर,  
देहरादून

विषय:-विद्यालय प्रबंधन समिति की स्वीकृति के सन्दर्भ में |

महोदय,

उपरोक्त विषयांतर्गत आपके कार्यालय के पत्रांक संख्या एफ.VMC/के.वि.आई.आई.पी/2020-21/218 दिनांक 12.02.2021, के सम्बन्ध में आपको सूचित किया जाता है कि आपके द्वारा भेजे गये विद्यालय प्रबन्धन समिति के पुनर्गठन का प्रस्ताव निम्नलिखित विवरण के साथ दिनांक 01.4.2021 से 31.03.2024 तक स्वीकृत किया जाता है।

S.No	Designation	Name of Members
1	Chairman (अध्यक्ष)	Dr. Anjan Ray, Director, IIP, Dehradun.
2	Nominee Chairman (नामित अध्यक्ष)	Mr. Jaswant Rai, COA, IIP, Dehradun.
3&4	Eminent Educationist (दो गणमान्य शिक्षाशास्त्री)	1. Ms. Poonam Gupta, Head ESD & AFLAD, IIP, Dehradun. 2. Madhukar Dhiman, Director, Rosemount Inst. Of Language, Dehradun.
5	Eminent person of the area known for outstanding work in the field of culture (सांस्कृतिक क्षेत्र का गणमान्य व्यक्ति)	Mr. Someshwar Pandey, Senior Rajbhasha Officer, IIP, Dehradun.
6&7	Parents member (अभभावक सदस्य)	1. Mrs. Shailaja Dobhal, M/o Km. Prachi Dobhal, Class-VIIth-B Lane-5, Vivek Vihar, Balawala, Dehradun. 2. Mr. Amit Kumar Negi, F/o Km. Prakriti Negi Class-IIIrd - A, Ekta Vihar, Ajabpur Khurd, Dehradun.
8	Eminent Doctor of the area (परिक्षेत्र का गणमान्य चिकित्सा अधिकारी)	Dr. Major (Rtd.) Ghanshyam Thakur, RMO, IIP, Dehradun.
9	Representative of SC/ST Class I Officer (अनुसूचित/अनुसूचित जनजाति का एक प्रतिनिधि)	Mr. Rajesh Kumar, IIP, Dehradun.
10	Teacher Representative (एक शिक्षक प्रतिनिधि)	Mr. Balwant Singh Negi, TGT (Maths), KV, IIP, Dehradun.
11	Member Secretary (विद्यालय का प्राचार्य, सदस्य सचिव)	Principal, KV, IIP, Mohkampur.
12	Co-Opted Member/ Educationist	Dr. Mrs. Anshu Nanoti, (Retired Chief Scientist), IIP, Dehradun.
13	Chairman CGEWCC (अध्यक्ष, केन्द्रीय सरकार कर्मचारी)	Lt. General Girish Kumar, VSM, Surveyor General of India.
14	Technical Expert Member (तकनीकी विशेषज्ञ सदस्य)	Mr. Prashant, Executive Engineer, CPWD, Dehradun.

1. विद्यालय प्रबन्धन समिति की बैठक वर्ष में तीन बार केन्द्रीय विद्यालय संगठन के नियमानुसार अध्यक्ष, विद्यालय प्रबन्धन समिति की अध्यक्षता में अवश्य की जानी चाहिए तथा विद्यालय प्रबन्धन समिति के कार्यवृत्त को इस कार्यालय में भेजा जाये।

2. निम्नलिखित उप समितियां भी तुरन्त गठित की जा सकती हैं:-

(क) विद्यालय कार्यकारिणी समिति।

(ख) विद्यालय नियुक्ति समिति।

(ग) विद्यालय निस्प्रयोज्य समिति (Condemnation Board).

(घ) विद्यालय सरकारी आवास आबंटन समिति।

3. विद्यालय प्रबन्धन समिति का कार्यकाल पूर्ण होने पर दिनांक 01.04.2024 से नवीनीकरण किया जायेगा।

अभिप्रेत  
अभिप्रेत

प्राचार्य / PRINCIPAL  
केन्द्रीय विद्यालय / KENDRIYA VIDYALAYA  
भा.पै.सं., देहरादून / I.P., DEHRADUN

भवदीय

(मीनाक्षी जैन)

उपायुक्त,

प्रतिलिपि : अध्यक्ष, विद्यालय प्रबंधन समिति, केन्द्रीय विद्यालय, भा.पै.सं. मोहकमपुर, देहरादून को सूचनार्थ प्रेषित।

उपायुक्त



F.PTA/KVIIP/2021-22/

17-7-2021

To

The Chairman  
Vidyalaya Management Committee  
Kendriya Vidyalaya, IIP, Dehradun

**Sub: Parent Teacher Association (PTA) – approval regd.**


Sir,


As per KVS Education Code Article No.147 every Kendriya Vidyalaya shall have Parent Teacher Association with an Executive Committee. The names of the office bearer of the Executive Committee are as under :

S.N.	Office bearer of PTA	Suggested Names
1.	Chairman	Mrs.Micky Khulbe (Principal)
2.	Vice-Chairman	Mr.A.V.Semwal (Parent Member)
3.	Secretary	Mrs.Champa Joshi (Parent Member)
4.	Joint Secretary	Mr.A.K.Singh (PGT-Biology)
5.	Three other Members	1.Mr.Balkrishna Semalty (Parent Member) 2.Mrs.Meenakshi Rana (Parent Member) 3.Mrs.Anushil Singh Chauhan (Teacher Member)


Submitted for your kind approval please.

Yours faithfully

  
Principal  
प्राचार्य / PRINCIPAL  
केन्द्रीय विद्यालय / KENDRIYA VIDYALAYA  
क.प.स., देहरादून / I.P., DEHRADUN  
उत्तराखण्ड / UTTARAKHAND - 248005

  
Approved / Not Approved

Chairman  
VMC, KV, IIP, Dehradun  
विद्यालय प्रबंध समिति / V.M.C.

  
Principal  
प्राचार्य / PRINCIPAL  
केन्द्रीय विद्यालय / KENDRIYA VIDYALAYA  
क.प.स., देहरादून / I.P., DEHRADUN  
उत्तराखण्ड / UTTARAKHAND - 248005

**SCHOOL DETAILS**


<b>SCHOOL NAME</b>	KENDRIYA VIDYALAYA IIP MOHAKAMPUR DEHRADUN UK	<b>ADDRESS OF THE SCHOOL</b>	KENDRIYA VIDYALAYA, I P, MOHAKAMPUR
<b>SCHOOL CODE</b>	84050	<b>AFFILIATION CODE</b>	3500029

**Academic Year**

ALL

RESULTS ALL						
RESULTS						
Year - ALL						
YEAR	APPEARED 10	PASS 10	PERCENTAGE 10	APPEARED 12	PASS 12	PERCENTAGE 12
2016	114	110	96.49	51	51	100
2017	90	90	100	63	63	100
2018	84	77	91.67	86	86	100
2019	97	97	100	76	76	100
2020	94	94	100	88	88	100

Copyright © 2018 CBSE (<http://cbse.nic.in/newsite/index.html>). All rights reserved.

C.T.C  
  
 प्राचार्य / PRINCIPAL  
 केन्द्रीय विद्यालय / KENDRIYA VIDYALAYA  
 मा.पे.सं. देहरादून / L.P., DEHRADUN  
 उत्तराखण्ड / UTTARAKHAND - 248005